

DESIGNED FOR TODAY READY FOR TOMORROW

MTP6650 TETRA PORTABLE RADIO





MTP6650 TETRA PORTABLE RADIO DESIGNED FOR TODAY. READY FOR TOMORROW.







OVERCOMING TODAY'S CHALLENGES WHILE PREPARING FOR TOMORROW'S IS NO EASY TASK. ESPECIALLY WHEN IT COMES TO PUBLIC SAFETY.

The MTP6650 TETRA portable radio is designed to help you do both. With its enhanced coverage, built-in Bluetooth® 4.0 wireless technology, Wi-Fi readiness, expanded location services, and full car kit support, it's an exceptional radio now that will support your team well into the future.

Take coverage, for example. Now you can reach personnel even in marginal areas with Class 3 transmit power. Plus, you have the ability to optimise your coverage based on the type of environment in which your team is working. The new open standard SMA connector gives you the flexibility to use different antennas.

There's also Bluetooth® 4.0 for adding connected devices—such as a PTT button or a heart rate monitor—without adding wires.

And you can easily transform your portable radio into a virtual mobile using the full car kit.

Whether you're guiding teams into an emergency or allocating day-to-day resources based on location, now you can do it more effectively.

The MTP6650 delivers additional Global Navigation Satellite System (GNSS) capabilities to Eastern Europe and Asia, enhancing GPS with GLONASS and BeiDou.

THE MTP6650 TETRA PORTABLE RADIO WILL SUPPORT YOUR TEAM NOW AND WELL INTO THE FUTURE.


Key Features:

- · Class 3 transmit power
- Wideband 350-470 MHz
- SMA connector
- Bluetooth® 4.0 wireless technology
- Full car kit support
- . GPS, BeiDou and GLONASS
- · 2W audio output
- Advanced noise suppression
- Similar SDI card
- Large 2" display

- · Simple and intuitive user interface
- Rated IP67 and MIL-STD 810G
- · Greater than 16 hours battery life
- · Wi-Fi hardware ready









EXTEND YOUR RANGE.

IN AN EMERGENCY, YOU CAN'T AFFORD TO BE LET DOWN BY POOR COVERAGE.

So rely on the enhanced coverage of the MTP6650 TETRA portable radio instead. Send voice and data messages and make emergency calls in marginal areas with the help of Class 3 transmit power. Optimise coverage using the new SMA connector, which gives you the ability to switch antennas based on the environment in which your team is working, or when the radio is worn under a protective vest. And be able to reach your team inside buildings due to its high receive sensitivity.

Wherever it's deployed, the MTP6650 puts you in control. When you need to increase your coverage, choose a high power setting the beautiful want to preserve battery life, toggle to a lower one.




WORK WIRELESSLY.

WITH BLUETOOTH® 4.0 WIRELESS TECHNOLOGY, YOU CAN EQUIP YOUR TEAM WITH THE LATEST WIRELESS SOLUTIONS.

Connect to multiple devices—such as audio, PTT, and sensors—and enjoy the freedom of using the radio without being wired to it.

For example, pair the MTP6650 TETRA portable radio with a wireless PTT button that can be activated without having to reach for the radio. Then, hide the radio in a backpack or underneath clothing for covert operations. Bluetooth® 4.0 also enables partners to develop new collaborative solutions, including biometric sensors that can monitor vital signs. The possibilities are practically endless.







CREATE A VIRTUAL MOBILE.

TODAY'S SHRINKING BUDGETS REQUIRE SMARTER MOBILE SOLUTIONS.

Turn your MTP6650 TETRA portable radio into a virtual mobile with the simple addition of the MTP6000 Series Car Kit. Then enjoy hands-free operation along with in-car charging and expanded coverage.

The kit uses the car's own battery, so you can charge your portable on the go without slowing down. With the MTP6650 and a car kit, there's no need to buy an expensive mobile radio, or the filters, switches, and extra batteries one requires. Not to mention incurring the additional installation time and cost.









MANAGE EVERYONE, EVERYWHERE.

OPTIMISING RESOURCES AND IMPROVING SAFETY BEGIN WITH KNOWING WHERE EVERYONE IS.

So we designed the MTP6650 TETRA portable radio with the latest GNSS, providing access to global services such as GPS, GLONASS, and BeiDou. With accurate location data for all personnel, you can mobilise teams closest to an incident. Ensure that critical messages get to the right people. And ultimately, shorten emergency response times.

GNSS helps keep personnel safe, too. You know precisely where to send help if people are in trouble, whether they activate their emergency alert manually or it triggers the automatic "man down" sensor.





HEAR AND BE HEARD.

OUT ON PATROL, THE ABILITY TO COMMUNICATE CLEARLY CAN BE THE DIFFERENCE BETWEEN LIFE AND DEATH.

The MTP6650 makes sure you can hear and be heard even when sirens are blaring thanks to 2W audio output and advanced noise suppression technology. With its Slimport speaker, you receive an even distribution of sound all around the radio wherever it's being worn. Listen at full volume using the speaker or audio accessories, and experience the clarity you depend on. At the same time, an intelligent microphone eliminates the new for audio profiles and provides wide dynamic range, making whe your message gets across in the most demanding environment.



KEEP INFORMATION AT HAND.

ACCESS DAILY BRIEFINGS, ROUTE MAPS, PICTURES OF SUSPECTS OR MISSING CHILDREN, AND MORE.

The microSD card slot lets you easily expand storage and keep critical information at your fingertips, so it's always there when you need it. Or, use the microSD card slot to boost security, delivering end-to-end encryption for those who require the ultimate in protection.










Sinora Srl

www.sinora.it







MTP6650 ACCESSORIES

CHOOSE FROM A VARIETY OF MOTOROLA ORIGINAL™ ACCESSORIES DESIGNED, TESTED AND CERTIFIED TO OPTIMISE THE PERFORMANCE OF YOUR MTP6650.

MTP6000 SERIES CAR KIT

Transform the MTP6650 portable radio into a virtual mobile radio with a wide range of mobile accessories, including a variety of microphones, speakers, remote PTT options, selephone style handset, alarm relay and emergency footswitch



INTEGRATED BLUETOOTH®

The MTP6650 has Bluetooth 4.0, which enables connectivity to a variety of wireless accessories. Our exclusive Operations Critical Wireless accessories handle loud environments, and an optional wireless PTT seamlessly links to any accessory. Just put the PTT in a pocket or on a lapel and connect instantly.



IMPRES™ AUDIO ACCESSORIES

Connect an IMPRES audio accessory, and the MTP6650 identifies it automatically. Whether it's a Remote Speaker Microphone or a Surveillance Kit, your radio assigns the correct profile to optimise audio performance. The IMPRES large speaker microphone matches the high-powered speaker on your radio so you can hear clearly even in high noise environments. What's more, whether you speak loudly or quietly, directly into or away from the microphone, with IMPRES, the volume adjusts automatically, providing clear audio in all environments.







MTP6650 SPECIFICATIONS

Audio Output	2W			
Keypad	Automatic keypad backlight			
	4 direction navigation	ı key		
	3 selection keys			
	4 x 3 keypad			
One Touch Buttons	Single button activati	ion for mult	iple function	ons
Controls	Large PTT button with enhanced tactility			
	Emergency Button			
	Programmable multi-	function ro	tary switch	
	2 programmable side	keys		
Battery Options	Battery Duty Cycle: 1650mAH 5/5/90 1650mAH 5/35/60 2150mAH 5/5/90 2150mAH 5/35/60 IMPRES (3400)mAH*	Class 4 >16hr >12hr >21hr >16hr	Class 3L >15hr >11hr >20hr >15hr	Class 3 >14hr >10.5hr >18.5hr >14hr
Additional Storage	Micro SD card (up to 32GB additional capacity)**			
SIZE & WEIGHT		0200 000		2511
Height	132mm			
Width	59mm			
Depth	34mm (with STD Battery)			
Weight with STD Battery	292g (with 80mm stubby antenna)			
RF SPECIFICATIONS	-			
Frequency Bands	350-470 MHz			
Transmitter RF Power	Class 3, 3L & Class 4			
Adaptive Power Control	Per EN 300 392-2			
Receiver Class	A and B			
Receiver Static Sensitivity	-116dBm (min); -118dBm (typical)			
Receiver Dynamic Sensitivity	-107 dBm (min); -109 dBm (typical)			
DMO REPEATER SERVICES				
ETSI type 1A DMO Repeater fo	r channel efficient oper	ation		
Repeats DMO voice and tone s	ignalling on selected ta	alkgroup		
Repeats SDS and Status mess	aging on selected talkg	roup		
Transmission of Repeater Prese	ence Signal			
Emergency Call (Pre-emptive P	riority Call)			
Monitoring of and participation	in calls whilst in Repe	ater mode		WWV

	N SERVICES	-159 dBm (guaranteed)		
GPS Tracking Sensitivity GPS Accuracy		-160 dBm (typical)		
		<5m (probable at -130dBm)		
Protocols		ETSI LIP. Motorola LRRP		
	PECIFICATIONS	ETOTER, MODOLOG ETIT		
	tion Support	GPS, GLONASS, BeiDou		
100 0000 000	Sensitivity	-130dBm (Typical)		
	I Accuracy	<5 m (Typical)		
TTFF Cold		< 60 sec (Typical)		
TTFF Hot	Start	< 10 sec (Typical)		
LICENSE	D OPTIONS	1.0		
	(Une SSE 0-200 SS agric	TETRA Enhanced Data Service (TEDS)		
		Multi-Slot Packet Data (MSPD)		
		WAP Browser		
		WAP Push Service		
		Bluetooth 4.0 & 2.1 Support No v		
		GNSS (GPS, BeiDou, GLOSNASS)		
		Wi-Fi*		
2.9	2 2 2	Call Out		
Software features	upgrade optional	Enhanced Security: OTAR/DMO SCK		
leatures		Air interface encryption		
		End to End Encryption Options		
		Permanent disable		
		Temporary disable		
		RUA/RUI		
		Man-Down feature		
		Class 3 or 3L transmit power		
>		DMO Repeater		
SECURIT	Y SERVICES			
Authentic	ation	Infrastructure initiated and made mutual by radio terminal		
Air Interfa Algorithm	ace Encryption - is	TEA1, TEA2, TEA3		
Protocols	- Security Classes	Class 1 (Clear), Class 2 (SCK), Class 3 (GCK)		
End to En	d Encryption	Enhanced End to End Encryption with OTAK supported through AES128 or AES256 GRYPTE INGOS Sinora.it		



MTP6650 SPECIFICATIONS

DATA SERVICES		
	STATUS messaging in TMO & DMO	
Short Data	SDS messaging in TMO & DMO	
	Short Data applications	
TNP1	Simultaneous operation of Packet Data and Short Data Services over a common Peripheral Equipmen Interface (PEI)	
AT Commands	Full Set of AT Commands (including Voice Control)	
Radio Fleet Management	Compatible with Motorola Integrated Terminal Management (iTM) solution	
USER INTERFACE		
	Large 2" QVGA with 262K vivid colours	
Display	Backlight I Flip screen, large icons and scalable tex font options	
	Screen saver gif image & text (user defined)	
	Universal time display	
Multiple languages		
Keypad lock	Keypad and rotary lock	
Talkgroup Management	User friendly, flexible, efficient, fast and efficient interface	
Favourite Folders	Up to 3 (to store any favourite talkgroup)	
	Customisable to user needs	
Menu	Menu shortcuts	
	Menu configuration	
Contacts management	Cellular feature phone style (rapid search)	
Multiple dialling methods	User selects how to dial	
Fast, flexible call response	Private call response to a group call via One Touch Button	
Vibrate Alert and multiple ring tones		
Message manager	Cellular feature phone style (flexible)	
Text message list	20	
Intelligent keypad text input		
Status list	400 alias messages	
Country/Network Code List	100	
Scan lists	40 lists of 20 groups	
Covert Mode		

Full Duplex	TMO: Private, PABX, PSTN, Emergency	
Half Duplex	TMO: Private, Group, Emergency	
Talkgroup Management - DMO	Private, Group, Emergency	
	Inter-MNI, Gateway, Repeater	
Dialling	Direct, Scroll, Speed, One touch button/key, Alph Search, Call History Redial	
Emergency call (user customised)	Tactical: Emergency Group Call to ATTACHED talkgroup	
	Non-Tactical: Emergency Group Call to DEDICATED talkgroup	
	Individual: Emergency Call to PREDEFINED party (half/full duplex)	
	HOT MIC: Allows user to talk without needing to press PTT (user enabled)	
Status Message	DMO to TMO: Sent to dispatch console (user enabled)	
Preemptive Priority Calls	Enter DMO emergency (with/without gateway) or ente TMO emergency	
PTT Double Push		

ENVIRONMENTAL SPECIFICATIONS		
Operating Temperature °C	-30 to +60	
Storage Temperature °C	-40 to +85	
Humidity	ETSI 300 019-1-7 class 7.3E	
Dust and Water Ingress Protection	IP67, IP66, IP65 per IEC 60529	
Shock, drop and vibration	ETSI 300-019 1-7 class 5M3	

RECOMMENDED SERVICES

Service from the Start with Comprehensive Coverage***

1100				
Λ	rr	ESS	n D	13
А	սե	E 20 20	บห	13

Full Car Kit

SMA Antennas (short stubby, long stubby, whip)

Coloured rubber antenna ring labels

Batteries (Li lon 1650 mAh & 2150 mAh and IMPRES Li-ion 3400 mAH*)

Battery chargers and vehicle adapters

Various carry options

Audio headsets

Remote speaker microphones

Earpieces

marketing@sinora.it

USB programming and data cables www.sinora.it



MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners.



Sinora Srl Via Carpegna, 9 47837 Riccione RN Riccione, Italia 47838 www.sinora.it marketing@sinora.it